Immunization schedule: Infants & young children

Age	Vaccine
2 months	 Diphtheria, tetanus, pertussis, hepatitis B, polio, Haemophilus influenzae type b (DTaP-HB-IPV-Hib) Pneumococcal conjugate Meningococcal C conjugate Rotavirus
4 months	 Diphtheria, tetanus, pertussis, hepatitis B, polio, Haemophilus influenzae type b (DTaP-HB-IPV-Hib) Pneumococcal conjugate Rotavirus
6 months	 Diphtheria, tetanus, pertussis, hepatitis B, polio, Haemophilus influenzae type b (DTaP-HB-IPV-Hib) Hepatitis A (Indigenous children only)
6 months and older	Influenza (flu)* - recommended yearlyCOVID-19 (as recommended)
12 months	 Pneumococcal conjugate Meningococcal C conjugate Measles, mumps, rubella (MMR) Varicella (chickenpox)
18 months	 Diphtheria, tetanus, pertussis, polio, <i>Haemophilus influenzae</i> type b (DTap-IPV-Hib) Hepatitis A (Indigenous children only)
4-6 years	Tetanus, diphtheria, pertussis, polio (Tdap-IPV)Measles, mumps, rubella, varicella (MMRV)

^{*} A second dose is needed 4 weeks after the first dose if receiving the influenza vaccine for the first time.

Children with certain medical conditions may need additional vaccines or additional doses of vaccines. Talk to your health care provider.

If your child missed a vaccine, you can contact your immunization provider (i.e. health unit, community health centre, nursing station, health care provider) to make an appointment for your child to get caught up.

There are other vaccines you can buy for your child for extra protection. Talk to your health care provider.

Find immunization information at immunizebc.ca



